

TITLE OF THE INVENTION

Dynamic Currency Conversion for Card Payment Systems

5 BACKGROUND OF THE INVENTION

Field of the Invention

10 The present invention relates to Card Payment Systems for use in a multi-currency environment. In particular the present invention provides systems and methods for identifying an appropriate currency for individual transactions conducted using a card payment system.

Description of the Prior Art

15 Several types of Card Payment Systems are available, examples of which include credit cards, charge cards and debit cards.

20 An example structure of a Payment Card System is illustrated in Figure 1 comprising a point of sale terminal 1, an authorisation host 2, a collection/management host 3, transaction collection system 4, a treasury management office 5, a clearing bank 6, a plurality of card schemes 7, and a plurality issuers 8,9. A point of sale terminal 1, according to the prior art is shown in Figure 2, comprising means for accepting payment card details 20. Examples of such means for accepting payment card details
25 include keyboards, magnetic swipe systems, smart card technologies and point-to-point radio transceivers (WO9912136). Alternatively, the terminal may be connected to a communications network, e.g. the Internet, and the means for accepting card details may comprise software which accepts card details forwarded by the cardholder in electronic form, e.g. data posted from a hyper text mark-up language (HTML) form.

30

A flowchart demonstrating a typical payment transaction as shown in Figure 3, commences with entry of a payment card's details 30, the terminal makes a connection

5 authorisation host checks 33 to confirm that the card details are valid and that the transaction is permitted. If the card details are valid and the transaction value is permitted, the authorisation host sends 34 an authorisation code to the point of sale terminal which then allows 35 the transaction to proceed. Typically a transaction slip is printed 21 for signature by the cardholder, whereas for an Internet transaction a conformational HTML page or e-mail may be forwarded to the cardholder. Optionally, some systems may provide an option 36 enabling a merchant to cancel 37 a transaction at this stage. If the authorisation host decides that the card details are invalid or that the transaction is not permitted then no authorisation code is given and the authorisation host informs 39 the terminal that the transaction is not allowed to proceed. The terminal typically outputs 40 an error message to this effect.

If approved and the transaction is completed, then details of the transaction are stored 38 in the terminal 1 in a transactions table 23.

As required, the terminal connects with the collection host as illustrated in Figure 4 over a communications link 11 and transmits details 43 from the transactions table 1 to the collection host 3. The terminal typically prints a report 44 for the terminal user detailing transactions transmitted. Once all of the transaction details have been communicated the terminal disconnects from the collection host 45.

The terminal is typically controlled by software 24 which is configurable to different situations by means of an alterable configuration file 25.

The transaction details contained in the transaction table are subsequently communicated from the collection host to a transaction collection host 4 which in turn

5

10

15

25

30

Furthermore, with the introduction of the EURO, the potential for conducting transactions in the multi-currency environment has increased. Each country participating in the European Monetary Union (EMU) will have in co-existence two currency units the EURO and the national currency for a transition period. As the transition period is quite long, it is inevitable that different issuers and merchants will convert their base currency from the national currency unit to the EURO at different times, with the inevitable result that merchant and consumers may be using different currencies. In addition, the growth of Internet commerce permits consumers to purchase from a greater variety of sources than was previously available. A large proportion of these on-line transactions will be conducted in currencies other than that of the cardholder.

Accordingly, it would be advantageous if a cardholder could view and/or make payments in their home currency rather than the currency of the merchant with whom they are conducting the transaction.

A variety of point of sale and other systems are available which permit multi-currency transactions in which the cardholder may conduct the transaction in the currency of their choice. For example, the Trintech Group(Dublin) provide a compact point of sale terminal and system which facilitates payment by the customer in the currency of their choice at the point of sale. A problem with these existing systems is that the merchant must enter the desired currency for the transaction into the system. In order to do this the merchant must determine the currency of the cardholder and check to see if this currency is permitted. This involves the merchant looking at the card and/or cardholder and attempting a determination of what country the cardholder is from. This determination requires action and some intelligence on the part of the merchant. In addition, with the advent of the Internet the point of sale is the computer, no human merchant may be involved and the payment card is not available for inspection. This also applies for transactions conducted from a distance by other means, e.g. fax or phone.

Accordingly, it would be an advantage if a method and system could be provided for determining the currency of a cardholder at the point of sale automatically, using only a payment card's details.

5 US5,842,185 discloses a system and method for automatically entering financial transactions such as credit card transactions into a financial account stored in a computer. A financial statement incorporating the transactions is provided in an electronic form understood by the computer, such as a computer data file, for updating the financial account. For a credit card account, the electronic statement includes one or
10 more credit card transactions such as purchases. Before accepting the electronic statement, the process verifies that the electronic form of the statement has not been altered since its creation and therefore correctly reflects transactions in the original statement. In the process of entering the transactions, they are tracked by automatically assigning them to expense categories. First the process determines from the electronic
15 statement if a payee for a transaction is of record in the computer and, if so, assigns the transaction to a category already associated with the payee. If not, the process next determines from the electronic statement a merchant category code such as a Standard Industry Code (SIC). The merchant category code is associated with a category recognised by the computer, and the transaction is assigned to the recognised category.
20 If no recognised category exists, the process prompts the user for a category to which the transaction can be assigned.

BRIEF SUMMARY OF THE INVENTION

25 A method for determining a preferred currency for association with a payment card transaction between a merchant and a payment card cardholder comprising the steps of obtaining the card number of the payment card from the cardholder, identifying an issuer code from said card number, determining the operating currency for said issuer code, and setting the currency for association with the payment card transaction
30 as the determined operating currency for the issuer code.

The step of determining the operating currency for the issuer code preferably

comprises the step of comparing the issuer identifier code with entries in a table. The table may contain a number of entries, each entry in the table containing an issuer code and a corresponding currency code. Alternatively, the entries may define ranges of issuer codes, with each range of issuer codes having a corresponding currency code.

5

The preferred currency is optionally set to default currency of the merchant when no operating currency can be determined for the issuer code.

The card holder may be prompted as to whether the transaction is to be
10 conducted in the preferred currency. This prompting may comprise converting the transaction amounts to equivalent amounts in the preferred currency and presenting these amounts for review by the cardholder and/or presenting an exchange rate to the cardholder, said exchange rate corresponding to a rate between the merchants' currency and the preferred currency. If the cardholder indicates that the transaction is to proceed
15 in the preferred currency, the transaction is processed in the preferred currency and/or if the cardholder indicates that the transaction is not to proceed in the preferred currency, the transaction proceeds in the merchants currency.

One or more of the transaction amounts may be converted to an equivalent
20 amount in the preferred currency and presented to the cardholder. An exchange rate corresponding to a rate between the merchants' currency and the preferred currency may also be presented to the cardholder. These transaction details may be presented along with or instead of the merchants currency to the cardholder. The transaction details may be presented to the cardholder after cardholder approval has been obtained
25 for the transaction and/or beforehand. In either case the amounts presented may be for information purposes only for the cardholder, based on nominal exchange rates.

Optionally, an initial check may be made to determine if the transaction amount exceeds a predetermined minimum level for processing in an alternative currency to
30 that of the merchants currency.

Preferably, the steps of the method of the invention are performed substantially in an automatic fashion without input from the terminal operator.

The method is suitable for implementation on a payment card terminal,
5 authorisation host, a central payment router or a combination of these devices.

The above method may also be extended to payment card transactions made over a computer network, for example the Internet, for example for e-commerce type transactions.

10

In one embodiment an apparatus is provided having means for determining a preferred currency for association with a payment card transaction between a merchant and a payment card cardholder, said means comprising; means for obtaining the card number of the payment card from the cardholder, means for identifying an issuer code
15 from said card number, means for determining the operating currency for said issuer code, and means for setting the currency for association with the payment card transaction as the determined operating currency for the issuer code.

The apparatus further comprises means for comparing said issuer identifier code
20 with entries in a table. Each entry in the table may contain an issuer code and a corresponding currency code. Alternatively, the entries in the table may define a range of issuer codes, with each range of issuer codes having a corresponding currency code.

The apparatus may comprise means for setting the preferred currency to the
25 default currency of the merchant when no operating currency can be determined for the issuer code.

A prompting means may be provided for prompting the cardholder as to whether the transaction is to be conducted in the preferred currency. This prompting means may
30 comprise conversion means for converting the transaction amounts to equivalent amounts in the preferred currency and presenting these amounts for review by the cardholder. The prompting means may optionally further comprise a means for

presenting an exchange rate to the cardholder, the exchange rate corresponding to a rate between the merchants' currency and the preferred currency.

5 An additional means may be provided for accepting an indication from the cardholder as to whether the transaction is to proceed in the preferred currency and means for permitting the transaction to be processed in the preferred currency if such an indication is received and/or permitting the transaction to be processed in the merchant's currency if no such indication is received.

10 Preferably, the apparatus is adapted to present at least one of the transaction amounts in an equivalent amount in the preferred currency to the cardholder and/or with an exchange rate corresponding to a rate between the merchants' currency and the preferred currency.

15 The apparatus may be adapted to present these details to the cardholder before and/or after cardholder approval has been obtained for the transaction.

20 Optionally, means may be provided for initially checking to determine if the transaction amount exceeds a predetermined minimum level for processing in an alternative currency to that of the merchants currency.

25 The apparatus may be implemented in a variety of embodiments, for example within a payment card terminal, a central payment router, an authorisation host, an authorisation host in co-operation with a payment card terminal, or an authorisation host in co-operation with a payment router.

30 In one embodiment, the apparatus comprises means for connecting to a node in a computer network. Preferably in this embodiment, the card number is received via the computer network. This embodiment is particularly suited to e-commerce type transactions.

09043679.07.11.00

According to the invention, there is provided a method and system for determining the currency of a cardholder at the point of sale automatically.

According to the invention, there is provided a transaction capture system for payment cards which automatically converts the transaction currency to that of the card
5 issuers currency.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 shows a block diagram of a payment card scheme arrangement
10 according to the prior art.

Figure 2 is a payment card point of sale terminal according to the prior art.

Figure 3 is a flowchart demonstrating a typical authorisation request procedure according to the prior art.

Figure 4 is a flowchart illustrating a typical procedure for communicating
15 transaction details to a collection host according to the prior art.

Figure 5 is a flowchart of a method according to the present invention.

Figure 6 depicts an example of a bank reference table according to the present invention.

Figure 7 illustrates a point of sale terminal according to the invention for use in
20 a retail outlet.

Figure 8 is a flowchart showing the steps of a method according to an embodiment of the present invention performed on a point of sale terminal as shown in figure 8.

Figure 9 is a flowchart of a 'batch-in' process according to an embodiment of
25 the invention for use with a point of sale terminal as shown in Figure 7.

Figure 10 is a flowchart illustrating the steps of another method for determining an associated currency and processing same according to the present invention.

DETAILED DESCRIPTION OF THE DRAWINGS

A flowchart of the operation of the present invention is illustrated in Figure 5, in which an identifier code is extracted 50 from the payment card details. In the preferred embodiment, the identifier code consists of a portion of the payment card number.

Typically, payment card issuers are assigned a range of card numbers for issuing cards to customers. For example a small bank may be assigned the range 4555999033300000 to 45550999033399999, whereas a larger bank may be assigned 45559988000000000 to 45559988199999999. Accordingly, the identifier code is the portion of a card number, which distinguishes between issuers.

The identifier code is compared 51 with entries in a bank reference table (an example of which is shown in Figure 6), which contains a list of issuer identifier codes . Each issuer identifier code 60(1-n) in the table has an associated entry 61(1-n) containing an associated currency, which corresponds to the currency of payment cardholders accounts of the issuer. For example, if the issuer is an Irish Bank then the associated currency may be Irish Pounds or EUROS, similarly if the issuer is a UK bank then the associated currency is probably pounds Sterling. The bank reference table may be created from a number of sources, including the card scheme administration organisations or from data collected from a large number of cardholders.

If no entry is found in the bank reference table for the identifier code of the issuer of the card, then the transaction will be processed 53 as before in the prior art. If an entry is found for the identifier code, the associated currency corresponding to the issuer code is extracted and the transaction is processed with enhanced functionality 54 using the associated currency. A variety of enhancements are available, when the currency of the payment cardholders account is known.

For example, the transaction may be processed in the associated currency, as the amount of the transaction amount in the associated currency may be shown to the customer for informational purposes, a receipt could be printed showing the local currency and the associated currency equivalent, or a combination.

If the enhancements are performed at the terminal and involve a currency conversion, then currency exchange rates will be required. These currency exchange rates may be stored at the terminal and updated as required or they may be obtained
5 from elsewhere, for example the authorisation host.

These enhancements may be provided as optional features, for example the merchant could inform the cardholder that the transaction may be conducted in the associated currency if desired. If the cardholder then so elects, then the transaction may
10 be processed in the associated currency, otherwise the transaction is processed in the merchants currency. Alternatively, the enhancements could be made mandatory in the sense that the enhancements are performed in all cases. The cardholder is not given a choice.

Furthermore, the steps of the method illustrated in Figure 5 may be implemented at several different stages of the transaction. For example, the steps of extraction 50, determination 51,52 and processing with enhancements 54 may be performed before the terminal connects to the authorisation host 2 (if the terminal connects to the authorisation host at all) or at any stage thereafter prior to completion of the transaction.
15 Similarly, the steps of extraction 50, determination 51,52 and processing with enhancements 54 may be performed at the terminal, at the authorisation host, or at a combination of the two, for example the terminal may identify the associated currency and the authorisation host may perform the enhanced processing or vice versa.
20

It will be understood therefore that the software and/or hardware for performing the steps according to the invention may be located at a terminal, payment router or an authorisation host or any combination of these.
25

An example of a point of sale terminal according to one embodiment of the invention embodiment is illustrated in Figure 7. The terminal 70 is suitable for use in
30 the retail environment, e.g. shops, restaurants and hotels. The terminal 70 permits a merchant to offer a cardholder the option to pay for goods and/or services in the

5

10

15

20

25

30

In order for the terminal to operate properly, one or more of the following may
25 be required; a connection to a standard PSTN dial-out telephone line, paper in the
printer, an operating environment which is dry and of normal humidity and a
connection to a mains supply voltage.

In operation, the terminal initially connects to a host and downloads the latest version of the terminal software as well as its standard configuration information. As soon as this download is complete the terminal will automatically dial the authorisation/collection host and collect the latest version of the Bank reference Table.

The terminal downloads the currency rates to be applied over a future period. For each currency that the system is to convert a date, currency code and rate are downloaded. A report detailing rates received is printed. Once these tables have been received the System is ready to process transactions.

5

A typical transaction cycle is now described, commencing when the cardholder offers their payment card to the merchant as a means of payments for goods or services. The merchant typically swipes the card in the magnetic stripe reader of the point of sale terminal. The reader extracts the card number, expiry date and the name of the cardholder from the card.

10

The terminal software searches through the Bank Reference table and checks for an entry corresponding to the issuer code obtained from the card number. If an entry is found the currency for the transaction is set to that of the payment card. If no entry in the Bank Reference table is found the currency is set to that of the merchant.

15

The terminal then requests the amount of the transaction in the currency of the merchant which is keyed in using the numeric keypad. Alternatively, a connection may be provided to a cash register or other device to obtain directly the transaction total.

20

Optionally, the System may check to determine whether the transaction value in the Merchants currency is within the minimum and maximum range contained in the Systems configuration table. If the amount falls within the range it is processed in the cardholders currency transaction. If it is above or below the limit it is processed in the currency of the merchant.

25

For transactions processed in the cardholders currency as opposed to the merchants currency, the terminal displays the Cardholders Currency Code, the currency conversion rate and the amount in the cardholder's own currency. The cardholder decides whether to consent to or reject the offer. If the offer is rejected

30

the System may revert 255 to the Merchants currency amount. The cardholder may cancel the entire transaction regardless of whether the transaction is processed in the merchants or cardholders currency as in existing systems.

- 5 If the cardholder consents the transaction will be processed 275 in the currency of the card holder.

- 10 After determining the currency of the transaction, the terminal proceeds to determine if an Authorisation Code is required (not shown). This is determined by comparing the value of the transaction in the merchants currency against the pre-configured floor limit. If the value of the transaction is above the floor limit an Authorisation Code is sought.

- 15 The Terminal System Software initiates the modem and obtains a dial-out line and attempts to call the 1st Authorisation Host Number. If a connection is not received after a pre-configured number of attempts the System will attempt to place the call using the 2nd Authorisation Host Number.

- 20 If no connection is obtained to either Authorisation Host the transaction is rejected and a printed slip detailing the failure to connect to the Host is produced.

- 25 If a connection to an Authorisation Host is made, the communications software within the terminal establishes its identity with the Authorisation Host using industry standard protocols for such communications. The Terminal transmits the identity of the terminal, the Card Number, The Merchant Number for that currency and the value. The Authorisation Host can reject the transaction or respond with an Authorisation Number which is received and stored by the System. Once the Authorisation Code has been received the System disconnects from the Host and produces 260 a Transaction Slip typically detailing the following; Name and Address of the Merchant, Merchant ID, Terminal Number, Date & Time of the transaction, Cardholders Card Number, Authorisation Code, Transaction Values in the Merchant Currency, Transaction Value in Cardholders Currency, and area against, upon which the cardholder must sign

consenting to the transaction. Similar details excluding the space for signature are stored in the transaction table.

5 A copy is produced for the merchant and the cardholder. After which, the transaction is completed between the cardholder and the merchant.

10 At the end of each day the merchant can press a key to instruct the terminal to carry out a 'Batch-In' of the accumulated transactions to the Collection Host, the process of which is illustrated in Figure 9, i.e. forward details of the transactions that have accumulated since the previous 'Batch-In' to the collection host. If the merchant does not manually request a 'Batch-In' process, a pre-configured parameter will detect the absence of a Batch-In and will automatically initiate 300 a Batch-In, the first step of which involves connecting 301 to the collection host.

15 During a 'Batch In', any transactions which have been processed by the terminal are collated and transmitted 302 to the Collection Host and a report is printed 303 summarising the transactions which have been forwarded in the transmission.

20 It will be appreciated by those skilled in the art, that in order to forward the transaction details to the clearing bank, some processing will be required to convert the details into a form which is usable by the clearing bank. This processing may be performed at the collection host or alternatively data may be forwarded to a back office for processing, illustrated as the transactions collection system in Figure 1.

25 When the transaction have been successfully transmitted, the terminal will seek 304 any amendments to the bank reference table. Additions and deletions to the bank reference table are received and processed by the terminal.

30 After the bank reference table has been appropriately modified 305 the terminal will seek to update 307 its Currency Rates by obtaining 306 revised rates from the collection host. This update 307 will remove any expired rates and receive any new

future rates. When the rates have been updated, a print out 308 is made of the new rates to be applied to future transactions.

At this point the terminal will disconnect 309 from the Collection Host. The
5 batch-in is completed 310 and the terminal is ready to process further transactions.

It will be appreciated by those skilled in the art, that in order to forward the transaction details to the clearing bank, some processing will be required to convert the details into a form which is usable by the clearing bank. This processing may be
10 performed at the collection host or alternatively data may be forwarded to a back office for processing, illustrated as the transactions collection system in Figure 1.

An alternative embodiment is where the determination of the currency for a transaction is performed on the authorisation host. A flowchart of a method according
15 to this embodiment is shown in Figure 10. The operation is started 400 when a connection is made by a terminal to the authorisation host. Once a valid connection has been established, the terminal forwards 405 an authorisation request, containing card details and the transaction amount, to the authorisation host. The Authorisation host checks 410 to determine whether the transaction is to be authorised or not, if the
20 transaction is not permitted a cancellation code is sent 415 to the merchant's terminal which prints 420 a transaction slip showing that the transaction is not permitted. If the transaction is authorised, the Authorisation host extracts the issuer code from the payment card details and checks 425 the extracted issuer code against entries in the bank reference table. If no entry is found in the bank reference table or if the currency
25 associated with the issuer is the same as that of the merchant then the transaction details are unchanged and forwarded 435 back to the terminal along with the authorisation code. Alternatively, the host may simply send the authorisation code as the terminal already has the transaction details. If an entry is found in the bank reference table and the currency associated with the issuer is different from that of the merchant, the
30 transaction amount is converted 420 to an equivalent amount in the associated currency. This converted amount and the associated currency code are forwarded 435, along with an authorisation code to the terminal. Optionally, the currency exchange rate

used may also be forwarded. The terminal prints a transaction slip 440 showing the transaction amount in the associated currency and the associated currency code, which may be signed by the cardholder. The transaction slip may also show the merchants currency equivalent and the currency exchange rate used.

5

As with the previous embodiment, the terminal subsequently connects to the connection host and performs a batch-in.

It will be apparent to the skilled person in the art that the present invention can be implemented in most payment card systems and that the currency identification can be implemented at different stages of transactions. Accordingly, the foregoing description is by way of example only and is not intended as limiting. The present invention is only limited by the claims appended hereto and their equivalents. It will be understood by the skilled person in the art that a wide variety of embodiments are available which come within the spirit and scope of the present invention.

10

15

09613679 071400